




floor-grating system




FLOOR-GRATING SYSTEM

A proven workplace classic for laid-out stand safety.



floor-grating

ARTICLE NUMBER	1401 0025
LOAD CAPACITY MAX.	200 kg / dm ²
COLOUR	fir-green
MEASUREMENTS (L / W / H)	1200 / 600 / 25
WEIGHT	4 KG



ramp piece

ARTICLE NUMBER	1401 0035
LOAD CAPACITY MAX.	200 kg / dm ²
COLOUR	fir-green
MEASUREMENTS (L / W / H)	600 / 125 / 25
WEIGHT	290 g



corner piece

ARTICLE NUMBER	1401 0045
LOAD CAPACITY MAX.	200 kg / dm ²
COLOUR	fir-green
MEASUREMENTS (L / W / H)	115 / 115 / 25
WEIGHT	50 g

current prices for these products are displayed on our website


Our floor-grating system - an added benefit to every workplace



Our proven modular floor grating is recommendable for all standing-while-working scenarios, facilitating work conditions by protection from dirt, cold and moisture. Featuring a structured surface, stand- and step safety are provided. Derived from practical experience, it is a matured product that has proven its worth in many years' shopfloor usage all over. Large work areas can be laid out in a breeze, as the elements connect both length- and cross-wise. DIY-cutting and cleaning are easy business, too!




- **material:** high-pressure polyethylene
- **temperature range:** -10° to 60° Celsius
- **safety:** structured surface

combination examples for the floor-grating system







Technical and commercial modifications subject to change! Any previous versions of this document are herewith null and void!